CANADIAN JOURNAL OF CIVIL ENGINEERING

REVUE CANADIENNE DE GÉNIE CIVIL

Volume 15, 1988

Author Index / Index des auteurs

Abdel-Gawad, S.T., and Bewtra, J.K. Decay of chlorine in diluted municipal effluents, 948

Aboul-ella, F. Pylons of cable-stayed bridges: a comparison, 516

Agarwal, A.C. Permit vehicle control in Ontario, 859

Agarwal, A.C. see Bakht, B., 589

Aidun, B., and Smith, D.W. Design and evaluation of an automated oxygen uptake rate measurement system, 1015

Akhras, G. *Discussion*: Étude expérimentale sur les poutres mixtes *by* L. Lachance, A. Picard et Y. Michaud, 278

Alexander, S.D.B., and Simmonds, S.H. Shear–moment interaction of slab–column connections, 828

Allen, C.M., Duchesne, D., and Humar, J. Application of computer-aided design in the Ontario Domed Stadium project, 14

Allen, D.E. see Rainer, J.H., 66

Al-Zaid, R.Z., and Nowak, A.S. Fatigue strength of prestressed concrete girder bridges, 199

Ammann, W. see Rainer, J.H., 35

Ammann, W. see Bachmann, H., 1086

Anderson, B.C. see Hall, K.J., 98

Anderson, C. see Smith, I., 633

Anderson, J.E. see Judge, D.G., 289

Arora, V.K. see Beltaos, S., 964

Attanayake, M.P., and Waller, D.H. Use of seepage meters in a groundwater–lake interaction study in a fractured rock basin—a case study, 984

Atwater, J.W. see Johnson, K.R., 709

Bachmann, H., and Ammann, W. Vibrations in structures induced by man and machine, 1086

Bachmann, H. see Rainer, J.H., 35

Bailey, R.W. see Kulak, G.L., 183

Bakht, B., and Agarwal, A.C. On distress in pipe-arches, 589

Bakht, B., and Jaeger, L.G. Dealing with varying moments of inertia of girders in bridge analysis, 232

Bakht, B. see Jaeger, L.G., 821

Balakrishnan, S., and Murray, D.W. Strength of reinforced concrete panels, 900

Barbour, S.L. see Haug, M.D., 955

Bartlett, F.M. see Buckland, P.G., 456

Baskaran, A. see Stathopoulos, T., 570

Batchelor, B. deV., Srinivasan, J., and Green, M.F. Losses in partially prestressed concrete, 890

Beard, A.S., and Tung, H.S.S. The investigation and proposed rehabilitation of the Tsing Yi South Bridge, Hong Kong, 190

Becker, N.K. see Patterson, H.R., 1006

Bédard, C. Computers in building design, 673

Bell, J. *Discussion*: The effect of pH adjustment on the internal corrosion rate of residential cast-iron and copper water distribution pipes *by* L. Millette and D.S. Mavinic, 1085

Beltaos, S. Configuration and properties of a breakup jam, 685

Beltaos, S., and Arora, V.K. An explicit algorithm to simulate transient transverse mixing in rivers, 964

Bergan, A.T., Henion, L., Krukar, M., and Taylor, B. Electronic licence plate technology: automatic vehicle location and identification, 1035

Bergan, A.T. see Papagiannakis, A.T., 815

Bergman, W.A., and Kapadia, D.H. Tunnel and reservoir plan solution to Chicago's combined sewer overflow, basement flooding, and pollution, 389

Bewtra, J.K. see Abdel-Gawad, S.T., 948

Bickley, J.A. Supplementary cementing materials for concrete. *Edited by* V. M. Malhotra, 492

Bickley, J.A. Corrosion damaged concrete — assessment and repair. *By* P. Pullar-Strecker, 932

Birkemoe, P.C. Single and compound angle members—structural analysis and design. *By* M. Madugula and J.B. Kennedy, 287

Buckland, P.G., Bartlett, F.M., and Watts, R.D. Practical design of holes in steel webs, 456

Burn, D.H. River flow forecasting for multiple time periods, 58

Buyco, C., and Saccomanno, F.F. Analysis of truck accident rates using loglinear models, 397

Calabrese, J.M. see Temple, M.C., 935

Caldera, H. see Christian, J., 679

Camarero, R., Granger, L., Marche, C., Soulié, M., et Tinawi, R. L'intégration en conception assistée par ordinateur pour les projets pluridisciplinaires de génie civil, 990

Case, E.R. see Van Aerde, M., 152

Chapuis, R.P. Conception et performance d'un champ d'épandage de grandes dimensions, 216

Chaudhry, M.H. see Kahawita, R., 143

Cheung, K.F. see Isaacson, M., 698

Cheung, M.S., and Li, W. Finite strip analysis of continuous structures, 424

Cheung, M.S. see Korol, R.M., 443

Christian, J., and Caldera, H. Earthmoving cost optimization by operational research, 679

Chui, Y.H. see Smith, I., 254

Cluis, D.A., Lefebvre Y., et Laberge, C. Indice de qualité de l'eau permettant le suivi environnemental et la mesure des impacts locaux, 323

Cluis, D. see Morin, G., 315

Cohn, M.Z. see Riva, P., 916

Collins, M.P. see Grouni, H., 931

Constable, T.W., Kissel, R., Sawell, S.E., and Cunningham, W. Laboratory evaluation of solid residues from atmospheric fluidized bed combustion systems, 49

Conway, T.P. see Tung, H.S.S., 24

Cooper, K.R. see Surry, D., 37

Couillard, D. see Morin, G., 315

Cunningham, W. see Constable, T.W., 49

Dandurand, A. see Mitchell, D., 1052

Davenport, A.G. see Surry, D., 37

de Castilho, B., and Navin, F. A rule-based system for highway route location, 747

de la Noüe, J. see Létourneau, M., 1022

Dickinson, W.T., and Green, D.R. Characteristics of sediment loads in Ontario streams, 1067

Dilger, W.H., Ghoneim, G.A., and Tadros, G.S. Diaphragms in skew box girder bridges, 869

Dorton, R.A. Landmarks in American civil engineering. *By* Daniel L. Schodek, 744
Douglas, R.A., and Henderson, B.S. Computer-assisted resource access road route location, 299
Doyle, P.F. Damage resulting from a sudden river ice breakup, 609
Duchesne, D. see Allen, C.M., 14
Ellis, J.S. Erratum: Rigid latticed steel frames: two large-scale tests and failure predictions, 1089
Enright, P. see Madramootoo, C.A., 759
Farago, B. Canadian heritage preservation. *By* Eric P. Jokinen, 745
Favre, R. see MacGregor, J.G., 141
Fazio, P., Moselhi, O., Théberge, P., and Revay, S. Fast-tracking of construction projects: a case study, 493
Fernandez, R. see Llamas, J., 206
Ferregut, C. Cluster analysis as a tool in the classification of structures for safety differentiation, 601
Fisher, J.W. see Picard, A., 142
Flato, G., and Gerard, R. *Discussion*: Ice jam characteristics. Liard–Mackenzie rivers confluence *by* T.D. Prowse 275
Galvache, A. see Llamas, J., 206
Gauthier, J.-M. see Morin, G., 315
Gélinas, P. see Padilla, F., 263
Gerard, R. see Flato, G., 275
Ghali, A. see MacGregor, J.G., 141
Ghobarah, A. Seismic behaviour of highway bridges with base isolation, 72
Ghobarah, A., and Tso, W.K. Behaviour of buried small flexible pipes, 486
Ghoneim, G.A. see Dilger, W.H., 869
Gold, L.W. On the elasticity of ice plates, 1080
Goulter, I.C., and Kazemi, A. Spatial and temporal groupings of water main pipe breakage in Winnipeg, 91
Grace, N.F., and Kennedy, J.B. Dynamic response of two-span continuous composite bridges, 579
Graham, V. see Logan, L., 430
Granger, L. see Camarero, R., 990
Grattan-Bellew, P.E. see Mather, B., 933
Greck, B.J. see Marsalek, J., 851
Green, D.R. see Dickinson, W.T., 1067
Green, M.F. see Batchelor, B. deV., 890
Groskopf, G.R. see Thirumurthi, D., 334
Grouni, H. Reliability based design in civil engineering. *By* Milton E. Harr, 141
Grouni, H. Prestressed concrete basics. *By* M. P. Collins and D. Mitchell, 931
Grouni, H.N. see Nowak, A.S., 534
Hall, K.J., and Anderson, B.C. The toxicity and chemical composition of urban stormwater runoff, 98
Harr, M.E. see Grouni, H., 141
Haug, M.D., Barbour, S.L., and Longval, P. Design and construction of a prehydrated sand-bentonite liner to contain brine, 955
Heidebrecht, A.C., and Lu, C.Y. Evaluation of the seismic response factor introduced in the 1985 edition of the National Building Code of Canada, 382
Heidebrecht, A.C., and Naumoski, N. Evaluation of site- specific seismic design requirements for three Canadian cities, 409
Heidebrecht, A.C. see Schriver, A.B., 616
Henderson, B.S. see Douglas, R.A., 299
Henion, L. see Bergan, A.T., 1035
Hettiaratchi, J.P.A., Hrudey, S.E., Smith, D.W., and Sego, D.C.C. Shrinkage behavior of clay liner material exposed to simulated municipal solid waste landfill leachate, 500
Hilson, B.O. see Smith, I., 633
Holly, F.M., Jr. see Jain, S.C., 766
Hosain, M.U. see Jayas, B.S., 240
Hrudey, S.E. see Hettiaratchi, J.P.A., 500
Humar, J. see Allen, C.M., 14
Hutchinson, B. Roads and traffic in urban areas. *By* The Institution of Highways and Transportation and Department of Transport, United Kingdom, 36
Isaacson, M. Wave and current forces on fixed offshore structures, 937
Isaacson, M., and Cheung, K.F. Influence of added mass on ice impacts, 698
Jaeger, L.G., and Bakht, B. Effect of Poisson's ratio and beam spacing on grillage analysis of slab bridges, 821
Jaeger, L.G. see Bakht, B., 232
Jaeger, L.G. see Jategaonkar, R., 644
Jain, S.C., Holly, F.M., Jr., and Lee, T.H. Head loss through porous dikes, 766
Jategaonkar, R., and Jaeger, L.G. Secondary effects of intermediate diaphragms in beam-and-slab bridges, 644
Jayas, B.S., and Hosain, M.U. Behaviour of headed studs in composite beams: push-out tests, 240
Johnson, K.R., and Atwater, J.W. Role of saturated and unsaturated zone in soil disposal of septic tank effluent, 709
Jokinen, E.P. see Farago, B., 745
Jones, H.G. see Morin, G., 315
Judge, D.G., Anderson, J.E., McClennan, B.I., and Park, E.T. Hydrologic design methodologies for prefeasibility studies of small-scale hydro at ungauged sites, 289
Kahawita, R. Applied hydraulic transients. *By* M. Hanif Chaudhry, 143
Kapadia, D.H. see Bergman, W.A., 389
Katopodis, C. see Rajaratnam, N., 1043
Kazemi, A. see Goulter, I.C., 91
Keenan, F.J. see Sexsmith, R.G., 745
Kells, J.A., and Smith, C.D. Head recovery at submerged abrupt conduit outlets, 272
Kennedy, D.J.L., and Qureshi, S. *Discussion*: Design strengths of steel beam-columns *by* N.S. Trahair, 136
Kennedy, J.B. see Birkemoe, P.C., 287
Kennedy, J.B. see Grace, N.F., 579
Kianoush, M.R., and Scanlon, A. Analytical modelling of large panel coupled walls for seismic loading, 623
Kissel, R. see Constable, T.W., 49
Korol, R.M., Thimmhardy, E.G., and Cheung, M.S. An experimental investigation of the effects of imperfections on the strength of steel box girders, 443
Korol, R.M. see Thimmhardy, E.G., 437
Kremer, J.S.M. see Packer, J.A., 167
Krukar, M. see Bergan, A.T., 1035
Kulak, G.L., Stephens, M.J., and Bailey, R.W. Bending tests of large diameter fabricated steel cylinders, 183
Kulak, G.L. see Picard, A., 142
Létourneau, M., Sérodes, J.B., et de la Noüe, J. Récupération de microalgues à l'aide d'un décanteur lamellaire, 1022
Laberge, C. see Cluis, D.A., 323
Lachance, L., Picard, A., et Michaud, Y. Étude expérimentale sur les poutres mixtes: *Réponse*, 279
Larose, G., et Pigeon, M. Béton produit en bétonnière mobile et en usine conventionnelle : comparaison des caractéristiques du réseau de bulles d'air, 306
Lau, Y.L. Roughness of reverse flow over dunes and its application to the modelling of the Pitt River, 547

Lee, T.H. see Jain, S.C., 766
Lefebvre, Y. see Cluis, D.A., 323
Letman, C.E. see Wright, D.G., 799
Li, W. see Cheung, M.S., 424
Lind, N.C. A design formula for glass in buildings, 1028
Llamas, J., Fernandez, R., et Galvache, A. Modèle de simulation de la gestion hydrologique, 206
Lodewyk, S. see Rajaratnam, N., 1043
Logan, L., Graham, V., and Unny, T.E. Probability and stochastic modelling of water quality parameters in the Thames River, 430
Longval, P. see Haug, M.D., 955
Lu, C.Y. see Heidebrecht, A.C., 382
MacGregor, J.G. Concrete structures: stresses and deformations. *By* A. Ghali and R. Favre, 141
MacIntyre, J. see Van Dalen, K., 117
Madramootoo, C.A., and Enright, P. Applicability of the Soil Conservation Service equations for runoff prediction in the Ottawa – St. Lawrence lowlands, 759
Madugula, M. see Birkemoe, P.C., 287
Magued, M.H. Rail–structure interactions for short span railway and transit bridges, 157
Mak, Y.M. see Tung, H.S.S., 24
Malhotra, V.M. see Bickley, J.A., 492
Manz, D.H., and Westhoff, D.R. Numerical analysis of the effects of aquatic weeds on the performance of irrigation conveyance systems, 1
Marche, C. see Sadok, A., 509
Marche, C. see Camarero, R., 990
Marsalek, J., and Greck, B.J. Head losses at manholes with a 90° bend, 851
Martin, A., Stiemer, S.F., and Osterrieder, P. Ultimate load capacity of square shear plates with circular perforations, 470
Marzouk, H. Underpinning of existing industrial plant foundation, 176
Mather, B. Concrete alkali-aggregate reactions. *Edited by* P.E. Grattan-Bellew, 933
Mavinic, D.S. see Millette, L., 79
McClennan, B.I. see Judge, D.G., 289
McCloskey, D.C. see Temple, M.C., 935
McCorquodale, J.A. see Patterson, H.R., 1006
Michaud, Y. see Lachance, L., 279
Mikelsteins, I. see Smith, K.N., 977
Millette, L., and Mavinic, D.S. The effect of pH adjustment on the internal corrosion rate of residential cast-iron and copper water distribution pipes, 79
Mitchell, D., Dandurand, A., and Paultre, P. Repair and upgrading of concrete structures in Mexico City after the 1985 earthquake, 1052
Mitchell, D. see Grouni, H., 931
Morin, G., Cluis, D., Couillard, D., Jones, H.G., et Gauthier, J.-M. Modélisation de l'azote total en rivière à l'aide du modèle quantité-qualité CEQUEAU, 315
Morris, G.A., and Packer, J.A. Beam-to-column connections in steel frames: *Reply*, 285
Moselhi, O. see Fazio, P., 493
Mufti, A.A. see Taheri, F., 524
Murray, D.W. see Balakrishnan, S., 900
Naumoski, N. see Heidebrecht, A.C., 409
Navin, F. see de Castilho, B., 747
Neis, M.E., Neis, V.V., and Wigham, J.M. An example of advanced electronic macro spreadsheet programming, 223
Neis, V.V. see Neis, M.E., 223
Nethercot, D.A., and Zandonini, R. *Discussion*: Beam-to-column connections in steel frames *by* G.A. Morris and J.A. Packer, 282
Ng, S.F. see Siddiqui, A.H., 127
Nowak, A.S., and Grouni, H.N. Serviceability considerations for guideways and bridges, 534
Nowak, A.S. see Al-Zaid, R.Z., 199
Osterrieder, P. see Martin, A., 470
Packer, J.A., and Kremer, J.S.M. A reliability assessment of tubular joint specifications, 167
Packer, J.A. see Morris, G.A., 285
Padilla, F., et Gélinas, P. Un modèle pour l'infiltration dans les sols gelés tenant compte de la qualité de l'eau, 263
Palmer, M. Bacterial loadings from resuspended sediments in recreational beaches, 450
Palmer, M.D. Note on surface streaking, 742
Pang, M.T. see Tung, H.S.S., 24
Papagiannakis, A.T., and Bergan, A.T. Applications of state-of-the-art technology in vehicle data collection, 815
Park, E.T. see Judge, D.G., 289
Patry, G.G. see Wright, D.G., 799
Patterson, H.R., Becker, N.K., and McCorquodale, J.A. Functional design of a swim basin in the Detroit River, 1006
Paultre, P. see Mitchell, D., 1052
Pelletier, P.M. Uncertainties in the single determination of river discharge: a literature review, 834
Pelletier, P.M., and Simonovic, S.P. Initial attempt to optimize the operation of a hydrometric network using branch and bound algorithm, 717
Pernica, G. see Rainer, J.H., 66
Peterson, A.E. see Peterson, A.W., 539
Peterson, A.W., and Peterson, A.E. Mobile boundary flow: an assessment of velocity and sediment discharge relationships, 539
Picard, A. Guide to design criteria for bolted and riveted joints. *By* G. L. Kulak, J. W. Fisher, and J. H. A. Struik, 142
Picard, A. see Lachance, L., 279
Pigeon, M. see Larose, G., 306
Pilette, C.F., and Taylor, D.A. Thermal stresses in double-glazed windows, 807
Pinjarkar, S.G. Learning from failures. *By* R.N. Raikar, 934
Playdon, D.K., and Simmonds, S.H. Behavior of slab-stiffened culvert structures, 726
Prowse, T.D. Ice jam characteristics, Liard–Mackenzie rivers confluence: *Reply*, 277
Pullar-Strecker, P. see Bickley, J.A., 932
Qureshi, S. see Kennedy, D.J.L., 136
Raikar, R.N. see Pinjarkar, S.G., 934
Rainer, J.H. Vibrations in structures induced by man and machine. *By* H. Bachmann and W. Ammann, 1086
Rainer, J.H., Pernica, G., and Allen, D.E. Dynamic loading and response of footbridges, 66
Rajaratnam, N., Katopodis, C., and Lodewyk, S. Hydraulics of offset baffle culvert fishways, 1043
Revay, S. see Fazio, P., 493
Riva, P., and Cohn, M.Z. Design aids for rectangular reinforced concrete sections under combined bending and axial forces, 916
Robinson, H. Multiple stud shear connections in deep ribbed metal deck, 553
Roblin, E.J. see Tung, H.S.S., 24
Rodd, P.D. see Smith, I., 633
Rodway, L.E. Testing of zero-slump piling concrete: *Reply*, 930
Roorda, J. Buckling behaviour of thin-walled columns, 107
Saccomanno, F.F. see Buyco, C., 397

Sadok, A., et Marche, C. Le rôle de la conformation du fond dans l'estimation du transport solide en rivière, 509
Salmon, G.M. A brief introduction to the Revelstoke Project, 784
Sawell, S.E. see Constable, T.W., 49
Scanlon, A. see Kianoush, M.R., 623
Schawwaf, K. see Tung, H.S.S., 24
Schodek, D.L. see Dorton, R.A., 744
Schriver, A.B., and Heidebrecht, A.C. Effect of damping on the predicted seismic response of tertiary subsystems, 616
Sego, D.C.C. see Hettiaratchi, J.P.A., 500
Seneviratne, A.P. see Seneviratne, P.N., 145
Seneviratne, P.N., and Seneviratne, A.P. Selection of traffic accident countermeasures, 145
Sérodes, J.B. see Troude, J.P., 348
Sérodes, J.B. see Létourneau, M., 1022
Sexsmith, R.G. Limit states design of wood structures. *By* F. J. Keenan, 745
Shawwaf, K. see Tung, H.S.S., 24
Siddiqui, A.H., and Ng, S.F. Effect of diaphragms on stress reduction in box girder bridge sections, 127
Simmonds, S.H. see Playdon, D.K., 726
Simmonds, S.H. see Alexander, S.D.B., 828
Simonovic, S. Influence of different downstream users on single multipurpose reservoir operation by chance constraints, 596
Simonovic, S.P. see Pelletier, P.M., 717
Smith, C.D. Flow establishment in helical corrugated pipe, 912
Smith, C.D. see Kells, J.A., 272
Smith, D.W. see Hettiaratchi, J.P.A., 500
Smith, D.W. see Attanayake, M.P., 984
Smith, I., and Chui, Y.H. Design of lightweight wooden floors to avoid human discomfort, 254
Smith, I., Whale, L.R.J., Anderson, C., Hilson, B.O., and Rodd, P.D. Design properties of laterally loaded nailed or bolted wood joints, 633
Smith, J.A. *Discussion*: Testing of zero-slump piling concrete *by* L.E. Rodway, 929
Smith, K.N., and Mikelsteins, I. Load distribution in edge stiffened slab and slab-on-girder bridge decks, 977
Soulié, M. see Camarero, R., 990
Srinivasan, J. see Batchelor, B. deV., 890
Stathopoulos, T., and Baskaran, A. Turbulent wind loading of roofs with parapet configurations, 570
Stephens, M.J. see Kulak, G.L., 183
Stiemer, S.F. see Martin, A., 470
Struik, J.H.A. see Picard, A., 142
Surry, D., Cooper, K.R., and Davenport, A.G. Aerodynamics of urban transit vehicles, 37
Tadros, G.S. see Dilger, W.H., 869
Taheri, F., and Mufti, A.A. Fatigue analysis of groove weld with steel bar backing by fracture mechanics finite elements, 524
Tan, J.C. see Temple, M.C., 732
Tang, M.-C. see Tung, H.S.S., 24
Taylor, B. see Bergan, A.T., 1035
Taylor, D.A. see Pilette, C.F., 807
Taylor, R.J. Field applications of prestressed laminated wood bridge decks, 477
Temple, M.C., and Tan, J.C. Interconnection of widely spaced angles, 732
Temple, M.C., McCloskey, D.C., and Calabrese, J.M. Erratum: Interconnection of boxed angle compression members, 935
Théberge, P. see Fazio, P., 493
The Institution of Highways and Transportation and Department of Transport. Roads and traffic in urban areas, 1087
Thimmhardy, E.G., and Korol, R.M. Geometric imperfections and tolerances for steel box girder bridges, 437
Thimmhardy, E.G. see Korol, R.M., 443
Thirumurthi, D., and Groskopf, G.R. Phosphate requirement for anaerobic fixed film treatment of landfill leachate, 334
Tinawi, R. see Veilleux, M., 355
Tinawi, R. see Veilleux, R., 369
Tinawi, R. see Camarero, R., 990
Trahair, N.S. Design strengths of steel beam–columns: *Reply*, 490
Troude, J.P., et Sérodes, J.B. Le rôle des glaces dans le régime morpho-sédimentologique d'un estran de l'estuaire moyen du Saint-Laurent, 348
Tso, W.K. see Ghobarah, A., 486
Tung, H.S.S., Pang, M.T., Roblin, E.J., Tang, M.-C., Shawwaf, K., Conway, T.P., and Mak, Y.M. The first incrementally launched bridges in Hong Kong, 24
Tung, H.S.S. see Beard, A.S., 190
Unny, T.E. see Logan, L., 430
Van Aerde, M., and Case, E.R. Individual driver route guidance systems and their implications for traffic control, 152
Van Dalen, K., and MacIntyre, J. The rotational behaviour of clipped end plate connections, 117
Van Dalen, K., and Van Dalen, M. *Discussion*: Beam-to-column connections in steel frames *by* G.A. Morris and J.A. Packer, 280
Van Dalen, M. see Van Dalen, K., 280
Veilleux, M., et Tinawi, R. Comportement dynamique d'une éolienne à axe vertical (développement théorique), 355
Veilleux, M., et Tinawi, R. Comportement dynamique d'une éolienne à axe vertical (application pratique), 369
Waldron, P. The significance of warping torsion in the design of straight concrete box-girder bridges, 879
Waller, D.H. see Attanayake, M.P., 984
Watts, R.D. see Buckland, P.G., 456
Westhoff, D.R. see Manz, D.H., 1
Whale, L.R.J. see Smith, I., 633
Wigham, J.M. see Neis, M.E., 223
Wilson, H.S. Performance of ilmenite concrete at sustained elevated temperatures, 776
Woods, D.R. see Wright, D.G., 799
Wright, D.G., Patry, G.G., Letman, C.E., and Woods, D.R. A procedure for estimating the capital cost of Ontario wastewater treatment plant using CAPDET, 799
Zandonini, R. see Nethercot, D.A., 282